

10783251y.trn

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssptasxml624

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	JUL 02	LMEDLINE coverage updated
NEWS	3	JUL 02	SCISEARCH enhanced with complete author names
NEWS	4	JUL 02	CHEMCATS accession numbers revised
NEWS	5	JUL 02	CA/CAPplus enhanced with utility model patents from China
NEWS	6	JUL 16	CAPplus enhanced with French and German abstracts
NEWS	7	JUL 18	CA/CAPplus patent coverage enhanced
NEWS	8	JUL 26	USPATFULL/USPAT2 enhanced with IPC reclassification
NEWS	9	JUL 30	USGENE now available on STN
NEWS	10	AUG 06	CAS REGISTRY enhanced with new experimental property tags
NEWS	11	AUG 06	FSTA enhanced with new thesaurus edition
NEWS	12	AUG 13	CA/CAPplus enhanced with additional kind codes for granted patents
NEWS	13	AUG 20	CA/CAPplus enhanced with CAS indexing in pre-1907 records
NEWS	14	AUG 27	Full-text patent databases enhanced with predefined patent family display formats from INPADOCDB
NEWS	15	AUG 27	USPATOLD now available on STN
NEWS	16	AUG 28	CAS REGISTRY enhanced with additional experimental spectral property data
NEWS	17	SEP 07	STN AnaVist, Version 2.0, now available with Derwent World Patents Index
NEWS	18	SEP 13	FORIS renamed to SOFIS
NEWS	19	SEP 13	INPADOCDB enhanced with monthly SDI frequency
NEWS	20	SEP 17	CA/CAPplus enhanced with printed CA page images from 1967-1998
NEWS	21	SEP 17	CAPplus coverage extended to include traditional medicine patents
NEWS	22	SEP 24	EMBASE, EMBAL, and LEMBASE reloaded with enhancements
NEWS	23	OCT 02	CA/CAPplus enhanced with pre-1907 records from Chemisches Zentralblatt
NEWS	24	OCT 19	BEILSTEIN updated with new compounds
NEWS	25	NOV 15	Derwent Indian patent publication number format enhanced
NEWS	26	NOV 19	WPIX enhanced with XML display format
NEWS EXPRESS	19	SEPTEMBER 2007:	CURRENT WINDOWS VERSION IS V8.2, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 19 SEPTEMBER 2007.
NEWS HOURS			STN Operating Hours Plus Help Desk Availability
NEWS LOGIN			Welcome Banner and News Items
NEWS IPC8			For general information regarding STN implementation of IPC 8

10783251y.trn

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 21:35:35 ON 28 NOV 2007

=> fil capl		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'CAPLUS' ENTERED AT 21:35:46 ON 28 NOV 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 28 Nov 2007 VOL 147 ISS 23
FILE LAST UPDATED: 27 Nov 2007 (20071127/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s US 20040146390/pn
L1 0 US 20040146390/PN
(US2004146390/PN)

=> s US 20040176390/pn
L2 1 US 20040176390/PN
(US2004176390/PN)

=> sel rn
E1 THROUGH E92 ASSIGNED

=> fil reg		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION

10783251y.trn

FULL ESTIMATED COST 4.57 4.78

FILE 'REGISTRY' ENTERED AT 21:36:26 ON 28 NOV 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 27 NOV 2007 HIGHEST RN 956075-61-9
DICTIONARY FILE UPDATES: 27 NOV 2007 HIGHEST RN 956075-61-9

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 29, 2007

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=> s e1-e92

1 108-48-5/BI
 (108-48-5/RN)
1 109-12-6/BI
 (109-12-6/RN)
1 1117-97-1/BI
 (1117-97-1/RN)
1 1122-72-1/BI
 (1122-72-1/RN)
1 155790-09-3/BI
 (155790-09-3/RN)
1 208111-23-3/BI
 (208111-23-3/RN)
1 208111-24-4/BI
 (208111-24-4/RN)
1 23719-80-4/BI
 (23719-80-4/RN)
1 34160-40-2/BI
 (34160-40-2/RN)
1 34199-87-6/BI
 (34199-87-6/RN)
1 356560-89-9/BI
 (356560-89-9/RN)
1 476472-48-7/BI
 (476472-48-7/RN)
1 56057-19-3/BI
 (56057-19-3/RN)
1 612-57-7/BI
 (612-57-7/RN)
1 626-05-1/BI

(626-05-1/RN)
1 6940-57-4/BI
(6940-57-4/RN)
1 71777-66-7/BI
(71777-66-7/RN)
1 738579-06-1/BI
(738579-06-1/RN)
1 752259-62-4/BI
(752259-62-4/RN)
1 752259-63-5/BI
(752259-63-5/RN)
1 752259-64-6/BI
(752259-64-6/RN)
1 752259-65-7/BI
(752259-65-7/RN)
1 752259-66-8/BI
(752259-66-8/RN)
1 752259-67-9/BI
(752259-67-9/RN)
1 752259-68-0/BI
(752259-68-0/RN)
1 752259-69-1/BI
(752259-69-1/RN)
1 752259-70-4/BI
(752259-70-4/RN)
1 752259-71-5/BI
(752259-71-5/RN)
1 752259-72-6/BI
(752259-72-6/RN)
1 752259-73-7/BI
(752259-73-7/RN)
1 752259-74-8/BI
(752259-74-8/RN)
1 752259-75-9/BI
(752259-75-9/RN)
1 752259-76-0/BI
(752259-76-0/RN)
1 752259-77-1/BI
(752259-77-1/RN)
1 752259-78-2/BI
(752259-78-2/RN)
1 752259-79-3/BI
(752259-79-3/RN)
1 752259-80-6/BI
(752259-80-6/RN)
1 752259-81-7/BI
(752259-81-7/RN)
1 752259-82-8/BI
(752259-82-8/RN)
1 752259-83-9/BI
(752259-83-9/RN)
1 752259-84-0/BI
(752259-84-0/RN)
1 752259-85-1/BI
(752259-85-1/RN)
1 752259-86-2/BI
(752259-86-2/RN)

1 752259-87-3/BI
 (752259-87-3/RN)
1 752259-88-4/BI
 (752259-88-4/RN)
1 752259-89-5/BI
 (752259-89-5/RN)
1 752259-90-8/BI
 (752259-90-8/RN)
1 752259-91-9/BI
 (752259-91-9/RN)
1 752259-92-0/BI
 (752259-92-0/RN)
1 752259-93-1/BI
 (752259-93-1/RN)
1 752259-94-2/BI
 (752259-94-2/RN)
1 752259-95-3/BI
 (752259-95-3/RN)
1 752259-96-4/BI
 (752259-96-4/RN)
1 752259-97-5/BI
 (752259-97-5/RN)
1 752259-98-6/BI
 (752259-98-6/RN)
1 752259-99-7/BI
 (752259-99-7/RN)
1 752260-00-7/BI
 (752260-00-7/RN)
1 752260-01-8/BI
 (752260-01-8/RN)
1 752260-03-0/BI
 (752260-03-0/RN)
1 752260-04-1/BI
 (752260-04-1/RN)
1 752260-05-2/BI
 (752260-05-2/RN)
1 752260-06-3/BI
 (752260-06-3/RN)
1 752260-07-4/BI
 (752260-07-4/RN)
1 752260-08-5/BI
 (752260-08-5/RN)
1 752260-09-6/BI
 (752260-09-6/RN)
1 752260-10-9/BI
 (752260-10-9/RN)
1 752260-11-0/BI
 (752260-11-0/RN)
1 752260-12-1/BI
 (752260-12-1/RN)
1 752260-13-2/BI
 (752260-13-2/RN)
1 752260-14-3/BI
 (752260-14-3/RN)
1 752260-15-4/BI
 (752260-15-4/RN)
1 752260-16-5/BI

```

        (752260-16-5/RN)
1 752260-17-6/BI
        (752260-17-6/RN)
1 752260-18-7/BI
        (752260-18-7/RN)
1 752260-19-8/BI
        (752260-19-8/RN)
1 752260-20-1/BI
        (752260-20-1/RN)
1 752260-21-2/BI
        (752260-21-2/RN)
1 752260-22-3/BI
        (752260-22-3/RN)
1 752260-23-4/BI
        (752260-23-4/RN)
1 752260-24-5/BI
        (752260-24-5/RN)
1 752260-25-6/BI
        (752260-25-6/RN)
1 752260-26-7/BI
        (752260-26-7/RN)
1 752260-27-8/BI
        (752260-27-8/RN)
1 752260-28-9/BI
        (752260-28-9/RN)
1 752260-29-0/BI
        (752260-29-0/RN)
1 752260-30-3/BI
        (752260-30-3/RN)
1 752260-31-4/BI
        (752260-31-4/RN)
1 752260-32-5/BI
        (752260-32-5/RN)
1 752260-33-6/BI
        (752260-33-6/RN)
1 752260-34-7/BI
        (752260-34-7/RN)
1 752260-35-8/BI
        (752260-35-8/RN)
1 94-53-1/BI
        (94-53-1/RN)
L3 92 (108-48-5/BI OR 109-12-6/BI OR 1117-97-1/BI OR 1122-72-1/BI OR
        155790-09-3/BI OR 208111-23-3/BI OR 208111-24-4/BI OR 23719-80-4
        /BI OR 34160-40-2/BI OR 34199-87-6/BI OR 356560-89-9/BI OR 476472
        -48-7/BI OR 56057-19-3/BI OR 612-57-7/BI OR 626-05-1/BI OR 6940-5
        7-4/BI OR 71777-66-7/BI OR 738579-06-1/BI OR 752259-62-4/BI OR
        752259-63-5/BI OR 752259-64-6/BI OR 752259-65-7/BI OR 752259-66-8
        /BI OR 752259-67-9/BI OR 752259-68-0/BI OR 752259-69-1/BI OR
        752259-70-4/BI OR 752259-71-5/BI OR 752259-72-6/BI OR 752259-73-7
        /BI OR 752259-74-8/BI OR 752259-75-9/BI OR 752259-76-0/BI OR
        752259-77-1/BI OR 752259-78-2/BI OR 752259-79-3/BI OR 752259-80-6
        /BI OR 752259-81-7/BI OR 752259-82-8/BI OR 752259-83-9/BI OR
        752259-84-0/BI OR 752259-85-1/BI OR 752259-86-2/BI OR 752259-87-3
        /BI OR 752259-88-4/BI OR 752259-89-5/BI OR 752259-90-8/BI OR
        752259-91-9/BI OR 752259-92-0/BI OR 752259-93-1/BI OR 752259-94-2
        /BI OR 752259-95-3/BI OR 752259-96-4/BI OR 752259-97-5/BI OR
        752259-98-6/BI OR 752259-99-7/BI OR 752

```

10783251y.trn

```
=> s l3 and NRS>1
      21834297 NRS>1
L4      76 L3 AND NRS>1
```

```
=> s pyridine/cn
L5      1 PYRIDINE/CN
```

```
=> s l3 and NRS>2
      12766729 NRS>2
L6      68 L3 AND NRS>2
```

```
=> s l5 rid
MISSING OPERATOR
```

```
=> d rsd
```

10783251y.trn

L6 ANSWER 1 OF 68 REGISTRY COPYRIGHT 2007 ACS on STN

Ring System Data

Elemental Analysis EA	Elemental Sequence ES	Size of the Rings SZ	Ring System Formula RF	Ring Identifier RID	RID Occurrence Count
C5N	INC5	6	C5N	46.156.30	11
C2N2S-C3N2	N2CSC-NCNC2	5-5	C4N3S	180.331.2	11
C2N3-C5N	N3C2-NC5	5-6	C5N4	333.449.3	11

10783251y.trn

=> s l6 and 46.156/rid


3091410 46.156/RID

L7 68 L6 AND 46.156/RID

=> d scan

10783251y.trn


L7 68 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
IN 1H-Benzotriazole, 1-methyl-6-[2-(6-methyl-2-pyridinyl)imidazo[1,2-
a]pyridin-3-yl]-
MF C20 H16 N6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L7 68 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
IN Imidazo[1,2-a]pyrimidin-7-amine, N,N-dimethyl-2-(6-methyl-2-pyridinyl)-3-
(6-quinolinyl)-
MF C23 H20 N6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):0

10783251y.trn

```
=> s 16 str 1-2/rid  
MISSING OPERATOR
```

```
=> d 16 str 1-2/rid  
'1-2' MUST END IN '/Q', '/A', '/L', '/S' OR '/B'  
The saved name for a query (or structure or screen set) must end with  
'/Q'. The saved name for an answer set must end with '/A'. The saved  
name for an L# list must end with '/L'. SDI request names must end  
with '/S'. To see a list of all saved query, answer set,, and L# list  
names for this loginid, enter "DISPLAY SAVED" at an arrow  
prompt (=>). Enter "DISPLAY SAVED/S" to see a list of SDI request  
names. Enter "DISPLAY SAVED/B" to see a list of BATCH search  
requests.
```

```
=> d 17 str 1-2/rid  
'1-2' MUST END IN '/Q', '/A', '/L', '/S' OR '/B'  
The saved name for a query (or structure or screen set) must end with  
'/Q'. The saved name for an answer set must end with '/A'. The saved  
name for an L# list must end with '/L'. SDI request names must end  
with '/S'. To see a list of all saved query, answer set,, and L# list  
names for this loginid, enter "DISPLAY SAVED" at an arrow  
prompt (=>). Enter "DISPLAY SAVED/S" to see a list of SDI request  
names. Enter "DISPLAY SAVED/B" to see a list of BATCH search  
requests.
```


```
=> d 17 rsd str 1-2
```

10783251y.trn

L7 ANSWER 1 OF 68 REGISTRY COPYRIGHT 2007 ACS on STN

Ring System Data

Elemental Analysis EA	Elemental Sequence ES	Size of the Rings SZ	Ring System Formula RF	Ring Identifier RID	RID Occurrence Count
C5N	INC5	6	C5N	46.156.30	1
C2N2S-C3N2	N2CSC-NCNC2	5-5	C4N3S	180.331.2	1
C2N3-C5N	N3C2-NC5	5-6	C5N4	333.449.3	1




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L7 ANSWER 2 OF 68 REGISTRY COPYRIGHT 2007 ACS on STN

Ring System Data

Elemental Analysis EA	Elemental Sequence ES	Size of the Rings SZ	Ring System Formula RF	Ring Identifier RID	RID Occurrence Count
C5N	INC5	6	C5N	46.156.30	1
C3NS-C3N2	INCSC2-NCNC2	5-5	C5N2S	180.323.8	1
C2N3-C5N	N3C2-NC5	5-6	C5N4	333.449.3	1



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10783251y.trn


=> d 17 rsd str 3-5

10783251y.trn

L7 ANSWER 3 OF 68 REGISTRY COPYRIGHT 2007 ACS on STN

Ring System Data

Elemental Analysis	Elemental Sequence	Size of the Rings	Ring System Formula	Ring Identifier	RID Occurrence
EA	ES	SZ	RF	RID	Count
C5N	INC5	6	C5N	46.156.30	1
C3N2-C3N2	INCNC2-NCNC2	5-5	C5N3	180.308.7	1
C2N3-C6	IN3C2-C6	5-6	C6N3	333.415.11	1




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L7 ANSWER 4 OF 68 REGISTRY COPYRIGHT 2007 ACS on STN

Ring System Data

Elemental Analysis	Elemental Sequence	Size of the Rings	Ring System Formula	Ring Identifier	RID Occurrence
EA	ES	SZ	RF	RID	Count
C5N	INC5	6	C5N	46.156.30	1
C2N2S-C3N2	IN2CSC-NCNC2	5-5	C4N3S	180.331.2	1
C2N3-C5N	IN3C2-NC5	5-6	C5N4	333.449.8	1




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L7 ANSWER 5 OF 68 REGISTRY COPYRIGHT 2007 ACS on STN

Ring System Data

Elemental Analysis	Elemental Sequence	Size of the Rings	Ring System Formula	Ring Identifier	RID Occurrence
EA	ES	SZ	RF	RID	Count
C5N	INC5	6	C5N	46.156.30	1
C3NS-C3N2	INCSC2-NCNC2	5-5	C5N2S	180.323.8	1
C2N3-C5N	IN3C2-NC5	5-6	C5N4	333.449.8	1



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10783251y.trn


=> d 17 rsd str 10-15

10783251y.trn

L7 ANSWER 10 OF 68 REGISTRY COPYRIGHT 2007 ACS on STN

Ring System Data

Elemental Analysis	Elemental Sequence	Size of the Rings	Ring System Formula	Ring Identifier	RID Occurrence
EA	ES	SZ	RF	RID	Count
C5N	INC5	16	C5N	146.156.30	1
C3N2-C4N2	INCNC2-NCNC3	15-6	C6N3	1333.918.10	1
C4N2-C6	INCNC3-C6	16-6	C8N2	1591.100.47	1




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L7 ANSWER 11 OF 68 REGISTRY COPYRIGHT 2007 ACS on STN

Ring System Data

Elemental Analysis	Elemental Sequence	Size of the Rings	Ring System Formula	Ring Identifier	RID Occurrence
EA	ES	SZ	RF	RID	Count
C5N	INC5	16	C5N	146.156.30	1
C3NO-C6	INCOC2-C6	15-6	C7NO	1333.471.13	1
C3N2-C5N	INCNC2-NC5	15-6	C7N2	1333.868.10	1




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L7 ANSWER 12 OF 68 REGISTRY COPYRIGHT 2007 ACS on STN

Ring System Data

Elemental Analysis	Elemental Sequence	Size of the Rings	Ring System Formula	Ring Identifier	RID Occurrence
EA	ES	SZ	RF	RID	Count
C5N	INC5	16	C5N	146.156.30	1
C2N2S-C3N2	INCSC-NCNC2	15-5	C4N3S	1180.331.2	1
C3NO-C6	INCOC2-C6	15-6	C7NO	1333.471.20	1




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L7 ANSWER 13 OF 68 REGISTRY COPYRIGHT 2007 ACS on STN

Ring System Data

Elemental Analysis	Elemental Sequence	Size of the Rings	Ring System Formula	Ring Identifier	RID Occurrence
EA	ES	SZ	RF	RID	Count
C5N	INC5	16	C5N	146.156.30	1
C3NS-C3N2	INCSC2-NCNC2	15-5	C5N2S	1180.323.8	1
C3NO-C6	INCOC2-C6	15-6	C7NO	1333.471.20	1




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10783251y.trn

L7 ANSWER 14 OF 68 REGISTRY COPYRIGHT 2007 ACS on STN

Ring System Data

Elemental Analysis	Elemental Sequence	Size of the Rings	Ring System Formula	Ring Identifier	RID Occurrence
EA	ES	SZ	RF	RID	Count
C5N	INC5	16	C5N	146.156.30	1
C3NO~C6	INCOC2~C6	15~6	C7NO	1333.471.20	1
C3N2~C4N2 NCNC2~NCNC3	5~6		C6N3	1333.918.16	1




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L7 ANSWER 15 OF 68 REGISTRY COPYRIGHT 2007 ACS on STN

Ring System Data

Elemental Analysis	Elemental Sequence	Size of the Rings	Ring System Formula	Ring Identifier	RID Occurrence
EA	ES	SZ	RF	RID	Count
C5N	INC5	16	C5N	146.156.30	1
C3NO~C6	INCOC2~C6	15~6	C7NO	1333.471.13	1
C3N2~C4N2 NCNC2~NCNC3	5~6		C6N3	1333.918.10	1



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10783251y.trn

=> s 17 and 333.918/rid
10017 333.918/RID
L8 24 L7 AND 333.918/RID

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	45.74	50.52

FILE 'CAPLUS' ENTERED AT 21:43:47 ON 28 NOV 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 28 Nov 2007 VOL 147 ISS 23
FILE LAST UPDATED: 27 Nov 2007 (20071127/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s 18
L9 1 L8

=> d 19 ibib

10783251y.trn

L9 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2004:739973 CAPLUS
DOCUMENT NUMBER: 141:243552
TITLE: Preparation of heteroaromatic fused imidazole
derivatives as transforming growth factor (TGF)
inhibitors
INVENTOR(S): Blumberg, Laura C.; Munchhof, Michael J.; Shavnya,
Andrei
PATENT ASSIGNEE(S): Pfizer Inc., USA
SOURCE: U.S. Pat. Appl. Publ., 35 pp.
CODEN: USXXGO
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2004176390	A1	20040909	US 2004-783251	20040220
CA 2517933	A1	20040916	CA 2004-2517933	20040223
WO 2004078110	A2	20040916	WO 2004-1B532	20040223
WO 2004078110	A3	20041111		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI RW: BW, GH, GM, KE, LS, MM, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
EP 1601676	A2	20051207	EP 2004-713609	20040223
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
BR 2004007999	A	20060307	BR 2004-7999	20040223
JP 2006519249	T	20060824	JP 2006-506271	20040223
NL 1025623	A1	20040907	NL 2004-1025623	20040303
NL 1025623	C2	20050314		
MX 2005PA08148	A	20050930	MX 2005-PA8148	20050729
PRIORITY APPLN. INFO.:			US 2003-451683P	P 20030304
			WO 2004-1B532	W 20040223

OTHER SOURCE(S): MARPAT 141:243552

10783251y.trn

=>

---Logging off of STN---

=>

Executing the logoff script...

=> LOG Y

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	1.65	52.17

STN INTERNATIONAL LOGOFF AT 21:44:05 ON 28 NOV 2007